

PEGYLATION REFERENCES CITING CREATIVE PEGWORKS PRODUCTS

This document contains a list of PEGylation literature and references with description of protocols and procedures citing the use of Creative PEGWorks PEG products. Publications are selected to include various applications and experimental conditions, and it is not a full list of all publications citing the use of Creative PEGWorks products.

Table of Contents with Hyperlinks

- I. [PEGylation of Biologics – Proteins, Antibodies, Peptides, Nucleic Acids](#)
- II. [PEGylation of Nanoparticles, Surfaces, Chips, Membranes](#)
- III. [Biotin PEGylation and Biotinylation](#)
- IV. [PEGylation Crosslinkers – Drug Delivery, Molecular Imaging, Biophysics](#)
- V. [PEG Hydrogel – Regenerative Medicine, Tissue Engineering, Drug Delivery](#)
- VI. [Self-Assembling – PEGylated Liposome, Micelle, Monolayer](#)
- VII. [Small Molecule PEGylation and Miscellaneous](#)

PEGylation of Biologics - Proteins, Antibodies, Peptides, Nucleic Acids

mPEG-Maleimide: Thiol PEGylation of Proteins - Structural and Biochemical Consequences of Disease-Causing Mutations in the Ankyrin Repeat Domain of the Human TRPV4 Channel, *Biochemistry*, 2012, 51 (31), pp 6195–6206, [Text](#).

mPEG-Maleimide: Thiol PEGylation of Proteins - The holin of bacteriophage lambda forms rings with large diameter, *Molecular Microbiology*, 09/2008; 69(4):784-793, [Text](#).

mPEG-Maleimide: Thiol PEGylation of Proteins - In vitro folding of KvAP, a voltage gated K⁺ channel, *Biochemistry*. 2011 6; 50(48): 10442–10450, [Text](#).

mPEG-MAL: Thiol PEGylation of Cysteine Peptide - Structure of the lethal phage pinhole, *Proc Natl Acad Sci USA*. 2009;106(45):18966-71, [Text](#).

mPEG-MAL: Thiol PEGylation of Proteins - A Computationally Designed Inhibitor of an Epstein-Barr Viral Bcl-2 Protein Induces Apoptosis in Infected Cells, *Cell*, Volume 157, Issue 7, 19 June 2014, Pages 1644–1656, [Text](#)

mPEG-NHS: Amine PEGylation of Peptide – High Efficiency Diffusion Molecular Retention Tumor Targeting. *PLoS ONE* 8(3): e58290, [Text](#), Experimental details in SI.

mPEG-NHS: PEGylated Polymers for Gene Delivery - BSA Nanoparticles for siRNA Delivery: Coating Effects on Nanoparticle Properties, Plasma Protein Adsorption, and In Vitro siRNA Delivery, *International Journal of Biomaterials*, Volume 2012, Article ID 584060, 10 pages, [Text](#)

mPEG-SCM: Amine PEGylation of Lysine Peptide – PEG-Like Nanoprobes: Multimodal, Pharmacokinetically and Optically Tunable Nanomaterials, *PLoS ONE* 9(4): e95406, [Text](#)

mPEG-SCM: Amine PEGylation of Proteins - PEGylation of lysine residues improves the proteolytic stability of fibronectin while retaining biological activity, *Biotechnol. J.* 2014, 9, [Text](#)

mPEG-Alkyne: Clickable PEGylation of Proteins - Identification and Origin of N-Linked b-D-NAcetylglucosamine Monosaccharide Modifications on Arabidopsis Proteins. *Plant Physiology*, 2013, 161: 455–464, [Text](#).

mPEG-Alkyne: Clickable PEGylation of Proteins - Visualization of O-GlcNAc Glycosylation Stoichiometry and Dynamics Using Resolvable Poly(ethylene glycol) Mass Tags, *Current Protocols in Chemical Biology*, 5:281–302, [Text](#)

mPEG-Epoxyde: Hydroxyl PEGylation of Polysaccharide - Surface Grafting of Cellulose Nanocrystals with Poly(ethylene oxide) in Aqueous Media, *Langmuir* 2010, 26(16), 13450–13456, [Text](#)

mPEG-Aminoxy: Carbonyl PEGylation of Saccharide - Visualization of O-GlcNAc Glycosylation Stoichiometry and Dynamics Using Resolvable Poly(ethylene glycol) Mass Tags, *Current Protocols in Chemical Biology*, 5:281–302, [Text](#)

Acrylate-PEG-Acrylate: Thiol PEGylation of siRNA – Methods and Compositions for Improved Therapeutic Effects with siRNA, Patent US20080311040 A1, [Text](#)

4-Arm PEG-Amine: Delivery Vector for siRNA - Multi-armed cationic cyclodextrin: poly(ethylene glycol) polyrotaxanes as efficient gene silencing vectors, *Integr. Biol.*, 2013,5, 115-121, [Text](#)

PEGylation of Nanoparticles, Surfaces, Chips, Membranes

mPEG-Thiol: Thiol PEGylation of Gold Nanorods - Spatiotemporal Temperature Distribution and Cancer Cell Death in Response to Extracellular Hyperthermia Induced by Gold Nanorods, *ACS Nano*, 2010 May 25; 4(5): 2892–2900, [Text](#).

mPEG-SH: Surface PEGylation of Gold Nanoparticles - On Sensitivity of Molecular Specific Photoacoustic Imaging Using Plasmonic Gold Nanoparticles, *Conf Proc IEEE Eng Med Biol Soc.* 2009;2009:6338-40, [Text](#).

mPEG-SH: Surface PEGylation - Gold nanorod mediated plasmonic photothermal therapy: A tool to enhance macromolecular delivery, *Int J Pharm.* 2011 August 30; 415(1-2): 315–318, [Text](#).

mPEG-SH: Surface PEGylation of Gold Nanorods - Intravascular photoacoustic imaging of exogenously labeled atherosclerotic plaque through luminal blood, *J. Biomed. Opt.* 17(10), 106016 (Oct 17, 2012). [Text](#).

mPEG-SH: Surface PEGylation of Gold Nanorods - Conjugation of antibodies to gold nanorods through Fc portion: synthesis and molecular specific imaging, *Bioconjug Chem.* 2013 June 19; 24(6): 878–888, [Text](#)

mPEG-SH: PEGylation of Metallic Nanoparticles - Plasmon-Resonant Gold Nanoparticles with Variable Morphology as Optical Labels and Drug Carriers for Cytological Research, *Proc. of SPIE-OSA/* Vol. 8801 880102-2, [Text](#)

mPEG-SH: PEGylation of Nanorods - Gold nanorod-mediated hyperthermia enhances the efficacy of HEMA copolymer-⁹⁰Y conjugates in treatment of prostate tumors, *Nuclear Medicine and Biology* 41 (2014) 282–289, [Text](#)

mPEG-SH: PEGylation of Nanoparticles - Detecting protein adsorption and binding using magnetic nanoparticle probes, *Sensors and Actuators B* 160 (2011) 650– 655, [Text](#)

HS-PEG-COOH: Surface PEGylation of Gold Nanoparticles - Capping and in vivo toxicity studies of gold nanoparticles. *Adv. Nat. Sci.: Nanosci. Nanotechnol.* 3 (2012) 015002 (5pp), [Text](#).

HS-PEG-NH₂: Surface PEGylation of Gold Nanoparticles - Gold Nanorods: Controlling Their Surface Chemistry and Complete Detoxification by a Two-Step Place Exchange. *Angewandte Chemie* 2013, 125 (7): 1988-1992, [Text](#), [Experimental details in SI](#).

mPEG-Amine: Carboxyl PEGylation of Nanoparticles - Upconverting Luminescent Nanomaterials: Application to In Vivo Bioimaging, *Chem Commun* (Camb). 2009 Jul 28;(28):4188-90, [Text](#), experimental details in [SI](#).

mPEG-Amine: Carboxyl PEGylation of Nanoparticles – Design and demonstration of a small-animal upconversion imager, *Opt Express*. 2008 December 22; 16(26): 21731–21737, [Text](#).

mPEG-Amine: Carboxyl PEGylation - Fluorescence Single Particle Tracking for the Characterization of Submicron Protein Aggregates in Biological Fluids and Complex Formulations, *Pharm Res* (2011) 28:1112–1120, [Text](#).

mPEG-Amine: Carboxyl PEGylation - Characterization of hydrogel microstructure using laser tweezers particle tracking and confocal reflection imaging, *J Phys Condens Matter*. 2010; 22(19): 194121, [Text](#).

mPEG-Amine: Carboxyl PEGylation of Nanoparticles – Ex vivo characterization of particle transport in mucus secretions coating freshly excised mucosal tissues, *Mol Pharm*. 2013 June 3; 10(6): 2176–2182, [Text](#)

mPEG-Amine: Carboxyl PEGylation of Nanoparticles – Nanoparticle diffusion in, and microrheology of, the bovine vitreous *ex vivo*, *J Control Release*. 2013 April 10; 167(1): 76–84, [Text](#)

mPEG-Amine: Carboxyl PEGylation of Nanoparticles – Nanoparticle diffusion in respiratory mucus from humans without lung disease, *Biomaterials*. 2013 April ; 34(13): 3439–3446, [Text](#)

mPEG-Amine: PEGylation of Carboxylated Nanoparticles - Immobilization of Pseudorabies Virus in Porcine Tracheal Respiratory Mucus Revealed by Single Particle Tracking, *PLoS ONE* 7(12): e51054, [Text](#)

mPEG-Acid: PEGylation of Aminated Microparticles - Interfacial polymer phase segregation and self-assembly of square colloidal crystals, *Soft Matter*, 2012, 8, 6684, [Text](#)

mPEG-Silane: Surface PEGylation of Nanoparticles - Measurement of enzyme kinetics and inhibitor constants using enthalpy arrays, *Anal Biochem*. 2009 May 15; 388(2): 204–212, [Text](#).

mPEG-Silane: Surface PEGylation of Glass - Rapid mixing of sub-microliter drops by magnetic micro-stirring, *Lab Chip*. 2011 October 7; 11(19): 3313–3319, [Text](#).

mPEG-Silane: Surface PEGylation of Silicon - Fluorinated Silicon Surfaces under Mixed Surfactants: Resistance to Nonspecific Protein Adsorption for Biosensing, *Langmuir*. 2009 Nov 3;25(21):12404-7, [Text](#).

mPEG-Silane: Hydroxyl PEGylation of Nanoparticles - Biocompatibility, MR imaging and targeted drug delivery of a rattle-type magnetic mesoporous silica nanosphere system conjugated with PEG and cancer-cell-specific ligands, *J. Mater. Chem.*, 2011, 21, 3037, [Text](#).

mPEG-Silane: Surface PEGylation of Glass - MAP65/Ase1 promote microtubule flexibility, *Mol. Biol. Cell*, June 15, 2013 vol. 24 no. 12 1964-1973, [Text](#)

mPEG-Silane: Surface PEGylation of Silica - Micropatterning neuronal networks, *Analyst*, 2014, 139, 3256-3264, [Text](#)

mPEG-NHS: Amine PEGylation of Chips - Fabricating Nanoscale DNA Patterns with Gold Nanowires, *Anal Chem*. 2010 April 15; 82(8): 3365–3370, [Text](#).

mPEG-SG: PEGylation of Aminated Surfaces - Experimental and Numerical Studies of Tethered DNA Shear Dynamics in the Flow-Gradient Plane, *Macromolecules*, 2009, 42 (22), pp 9170–9182, [Text](#).

mPEG-Azide: Clickable PEGylation of Membrane - Effect of End Groups and Grafting on the CO₂ Separation Performance of Poly(ethylene glycol) Based Membranes, *Macromolecules*, 2011, 44 (19), pp 7727–7736, [Text](#).

mPEG-Azide: Clickable PEGylation of Nanoparticles - Biomimetic Mussel Adhesive Inspired Clickable Anchors Applied to the Functionalization of Fe₃O₄ Nanoparticles, *Macromol. Rapid Commun*. 2010, 31, 1608–1615, [Text](#).

mPEG-Aldehyde: Reversible Hydrazone PEGylation of Micelles -The effect of the acid-sensitivity of 4-(*N*)-stearoyl gemcitabine-loaded micelles on drug resistance caused by RRM1 overexpression, *Biomaterials*. 2013 March; 34(9): 2327–2339, [Text](#)

Biotin PEGylation and Biotinylation

Biotin-PEG-NHS: Biotinylation and Amine PEGylation of Chips - Multi-modal particle manipulator to enhance bead-based bioassays, *Ultrasonics*. 2010 Feb;50(2):235-9, [Text](#).

Biotin-PEG-NHS: Biotinylation of Aminated Microbeads - Flexible Acoustic Particle Manipulation Device with Integrated Optical Waveguide for Enhanced Microbead Assays, *Anal Sci*. 2009; 25(2):285-91, [Text](#).

Biotin-PEG-SCM: Biotinylation of Aminated Surface - Experimental and Numerical Studies of Tethered DNA Shear Dynamics in the Flow-Gradient Plane, *Macromolecules*, 2009, 42 (22), pp 9170–9182, [Text](#).

Biotin-PEG-SCM: Amine PEGylation of Nucleic Acid - Reductively Responsive siRNA-Conjugated Hydrogel Nanoparticles for Gene Silencing, *J. Am. Chem. Soc.*, 2012, 134 (17), pp 7423–7430. [Text](#).

Biotin-PEG-Silane: Biotinylation of Hydroxylated Surface - MAP65/Ase1 promote microtubule flexibility, *Mol. Biol. Cell*, June 15, 2013 vol. 24 no. 12 1964-1973, [Text](#)

PEGylation Crosslinkers – Drug Delivery, Molecular Imaging, Biophysics

OPSS-PEG-NHS: Crosslinking Antibody (Amine PEGylation) to Nanoparticles (Thiol PEGylation) - Silica-gold nanoshells as potential intraoperative molecular probes for HER2-overexpression in ex vivo breast tissue using near-infrared reflectance confocal microscopy, *Breast Cancer Res Treat*, 2010; 120(3):547-55, [Text](#).

OPSS-PEG-NHS: Crosslinking Antibody (Amine PEGylation) to Nanoparticles (Thiol PEGylation) - Evaluation of Immunotargeted Gold Nanoshells as Rapid Diagnostic Imaging Agents for HER2-Overexpressing Breast Cancer Cells: A Time-based Analysis, *Nanobiotechnology*, vol. 4, no. 1–4, pp. 1–8, 2008, [Text](#).

OPSS-PEG-NHS: Crosslinking Antibody (Amine PEGylation) to Nanoparticles (Thiol PEGylation) - Enhanced multi-spectral imaging of live breast cancer cells using immunotargeted gold nanoshells and two-photon excitation microscopy, *Nanotechnology* 19 (2008) 315102, [Text](#).

OPSS-PEG-NHS: Crosslinking Proteins (Amine PEGylation) to Nanoparticles (Thiol PEGylation) - Detection of chronic lymphocytic leukemia cell surface markers using surface enhanced Raman scattering gold nanoparticles, *Cancer Lett.* 2010, 1;292(1):91-7, [Text](#).

OPSS-PEG-NHS: Crosslinking Peptide (Amine PEGylation) to Nanoparticles (Thiol PEGylation) - Biological evaluation of RGDfK-gold nanorod conjugates for prostate cancer treatment. *Journal of Drug Targeting*, 2011; 19(10): 915–924, [Text](#)

OPSS-PEG-NHS: Crosslinking Antibody (Amine PEGylation) to Nanoparticles (Thiol PEGylation) - Controlled release of Rituximab from gold nanoparticles for phototherapy of malignant cells, *Journal of Controlled Release*, 162 (2012) 303–309, [Text](#).

OPSS-PEG-NHS: Crosslinking Proteins (Amine PEGylation) to Nanoparticles (Thiol PEGylation) - Gold nanorods for target selective SPECT/CT imaging and photothermal therapy in vivo. *Quant Imaging Med Surg*, 2012;2:1-11, [Text](#).

OPSS-PEG-NHS: Crosslinking Proteins (Amine PEGylation) to Nanoparticles (Thiol PEGylation) - Gold nanostars: surfactant-free synthesis, 3D modelling, and two-photon photoluminescence imaging, *Nanotechnology*. 2012 February 24; 23(7): 075102, [Text](#).

OPSS-PEG-NHS: Crosslinking Antibody (Amine PEGylation) to Nanoparticles (Thiol PEGylation) - Multiplexed Dot Immunoassay Using Ag Nanocubes, Au/Ag Alloy Nanoparticles, and Au/Ag Nanocages, *Nano Res.* 2012, 5(2): 124–134, [Text](#)

OPSS-PEG-NHS: Crosslinking Peptides (Amine PEGylation) to Surface (Thiol PEGylation) – Peptide-Surface Adsorption Free Energy Comparing Solution Conditions Ranging from Low-to-Medium Salt Concentrations, *Chemphyschem*. 2012, 13(17): 3782–3785, [Text](#)

OPSS-PEG-NHS: Crosslinking siRNA and Oligonucleotide (Thiol PEGylation) to Monosaccharide and Polysaccharide (Amine PEGylation) – Targeted Delivery of siRNA to Hepatocytes and Hepatic Stellate Cells by Bioconjugation, *Bioconjugate Chem*. 2010, 21, 2119–2127, [Text](#).

MAL-PEG-NHS: Crosslinking of Peptide (Thiol PEGylation) to Polymer (Amine PEGylation) – Virus-Inspired Approach to Nonviral Gene Delivery Vehicles, *Biomacromolecules*. 2009, 10;10(8):2189-93, [Text](#).

MAL-PEG-NHS: Crosslinker Proteins (Thiol PEGylation) to Small Molecules (Amine PEGylation) - Synthesis and characterization of scVEGF-PEG-[⁶⁸Ga]NOTA and scVEGF-PEG-[⁶⁸Ga]DOTA PET tracers, *J. Label Compd. Radiopharm*, 2011, 54 685–692, [Text](#)

MAL-PEG-SCM: Crosslinking of Proteins (Amine PEGylation) to Thiolated Surface - Structure and Biosynthesis of Two Exopolysaccharides Produced by *Lactobacillus johnsonii FI9785*, *J. Biol. Chem*. 2013, 288:31938-31951, [Text](#)

MAL-PEG-SCM: Crosslinking of Peptides (Amine PEGylation) to Thiolated Nanoparticles - Cancer-Targeted Optical Imaging with Fluorescent Zinc Oxide Nanowires, *Nano Lett*. 2011 September 14; 11(9): 3744–3750, [Text](#).

MAL-PEG-SCM: Crosslinking of Peptides (Amine PEGylation) to Thiolated Nanoparticles - Evolution of zinc oxide nanostructures through kinetics control, *J. Mater. Chem.*, 2011, 21, 9000-9008, [Text](#).

MAL-PEG-SCM: Crosslinking of Peptides (Amine PEGylation) to Thiolated Cholesterol - Design of a Modular Tetrameric Scaffold for the Synthesis of Membrane-Localized d-Peptide Inhibitors of HIV-1 Entry, *Bioconjugate Chem.*, 2012, 23 (6), pp 1252–1258, [Text](#).

MAL-PEG-SCM: Crosslinking of Peptides (Thiol PEGylation) to Nanoparticles - Methylene blue covalently loaded polyacrylamide nanoparticles for enhanced tumor-targeted photodynamic therapy, *Photochem. Photobiol. Sci.*, 2011, 10, 832-841, [Text](#).

MAL-PEG-SCM: Crosslinking of Antibodies (Thiol PEGylation) to Graphene - Tumor Vasculature Targeting and Imaging in Living Mice with Reduced Graphene Oxide, *Biomaterials*. 2013 April ; 34(12): 3002–3009, [Text](#)

MAL-PEG-SCM: Crosslinking of Antibodies (Thiol PEGylation) to Graphene - In Vivo Targeting and Positron Emission Tomography Imaging of Tumor Vasculature with ⁶⁶Ga-Labeled Nano-Graphene, *Biomaterials*. 2012 June; 33(16): 4147–4156, [Text](#)

MAL-PEG-SCM: Crosslinking Proteins to Peptide - Novel engineered targeted interferon-gamma blocks hepatic fibrogenesis in mice, *Hepatology*, 54: 586–596, [Text](#)

MAL-PEG-Amine: Crosslinking Antibody (Site-Specific Thiol PEGylation) to Dendrimer (Carboxyl PEGylation) - Transbuccal Delivery of CNS Therapeutic Nanoparticles: Synthesis, Characterization, and In Vitro Permeation Studies, *ACS Chem. Neurosci.*, 2011, 2 (11), pp 676–683, [Text](#).

MAL-PEG-NH₂: Crosslinking siRNA (Thiol PEGylation) to Chemotherapeutics (Carboxyl PEGylation) – Methods and Compositions for Improved Therapeutic Effects with siRNA, Patent US20080311040 A1, [Text](#)

Hydrazide-PEG-OPSS: Crosslinking of Antibodies (Carbonyl PEGylation) to Nanoparticles (Thiol PEGylation) –Multiwavelength Photoacoustic Imaging and Plasmon Resonance Coupling of Gold Nanoparticles for Selective Detection of Cancer, *Nano Lett.* 2009 August ; 9(8): 2825–283, [Text](#).

Hydrazide-PEG-OPSS: Crosslinking of Antibodies (Site-Specific Carbonyl PEGylation) to Nanoparticles (Thiol PEGylation) – EGFR-Targeted Hybrid Plasmonic Magnetic Nanoparticles Synergistically Induce Autophagy and Apoptosis in Non-Small Cell Lung Cancer Cells. *PLoS ONE*. 2011, 6(11): e25507, [Text](#)

HS-PEG-COOH: Crosslinking Proteins (Amine PEGylation) to Gold Chips – Single-Molecule Force Spectroscopy of the Aplysia Cell Adhesion Molecule Reveals Two Homophilic Bonds. *Biophysical Journal* 2012; 103: 649–657, [Text](#)

HS-PEG-COOH: Crosslinking Antibodies to Gold Nanoparticles - The Effect of Nanoparticle Size on Cellular Binding Probability, *Journal of Atomic, Molecular, and Optical Physics*. 2012 (2012), Article ID 404536, 7 pages, [Text](#)

HS-PEG-COOH: Crosslinking Proteins to Gold Nanorods - A new method for cancer detection based on diffusion reflection measurements of targeted gold nanorods, *Int J Nanomedicine*. 2012;7: 449–455, [Text](#).

HS-PEG-COOH: Crosslinking Antibodies to Gold Nanoparticles - Targeted gold nanoparticles enable molecular CT imaging of cancer: an in vivo study, *Int J Nanomedicine*. 2011; 6: 2859–2864, [Text](#).

HS-PEG-COOH: Crosslinking Antibodies to Gold Nanoparticles - Towards real-time detection of tumor margins using photothermal imaging of immune-targeted gold nanoparticles, *Int J Nanomedicine*. 2012; 7: 4707–4713, [Text](#).

HS-PEG-COOH: Crosslinking Proteins to Chips - Surface-modified microprojection arrays for intradermal biomarker capture, with low non-specific protein binding, *Lab Chip*, 2010, 10, 2655–2658, [Text](#)

Thiol-PEG-Acid: Crosslinking of Enzymes to Gold Surface - High-Resolution Single-Molecule Recognition Imaging of the Molecular Details of Ricin–Aptamer Interaction, *J. Phys. Chem. B* 2012, 116, 5316–5322, [Text](#).

Thiol-PEG-Acid: Crosslinking Proteins to Gold Nanoparticles - Transport of nanoparticles through the blood–brain barrier for imaging and therapeutic applications, *Nanoscale*, 2014, 6, 2146, [Text](#)

Thiol-PEG-Acid: Crosslinking Antibodies to Gold Nanoparticles - New optical method for enhanced detection of colon cancer by capsule endoscopy, *Nanoscale*, 2013, 5, 9806, [Text](#)

Thiol-PEG-Amine: Crosslinking Antibody to Nanoparticles - Orthogonal Amplification of Nanoparticles for Improved Diagnostic Sensing, *ACS Nano*, 2012, 6 (4), pp 3506–3513, [Text](#).

Acrylate-PEG-SCM: Protein Conjugation (Amine PEGylation) to PEG Hydrogel - Bioartificial matrices for therapeutic vascularization, *Proc Natl Acad Sci USA*. 2010; 107(8): 3323–3328, [Text](#).

Acrylate-PEG-NHS: Crosslinking Proteins to PEG Hydrogels - Injectable laminin-functionalized hydrogel for nucleus pulposus regeneration, *Biomaterials*, 2013 (34): 7381-7388, [Text](#)

Acrylate-PEG-NHS: Crosslinking Proteins to PEG Hydrogels - Photocrosslinkable laminin-functionalized polyethylene glycol hydrogel for intervertebral disc regeneration, *Acta Biomaterialia* 10 (2014) 1102–1111, [Text](#)

4-Arm PEG-Acrylate: Crosslinking Thiolated siRNA – Methods and Compositions for Improved Therapeutic Effects with siRNA, Patent US20080311040 A1, [Text](#)

NHS-PEG-NHS: Crosslinking Nucleotide to Silicon Surface – Efficient self-assembly of DNA-functionalized fluorophores and gold nanoparticles with DNA functionalized silicon surfaces: the effect of oligomer spacers. *Nucleic Acids Research*, 2013, 1–12, [Text](#)

NHS-PEG-NHS: Crosslinking siRNA (Amine PEGylation) to Antibody (Amine PEGylation) – Methods and Compositions for Improved Therapeutic Effects with siRNA, Patent US20080311040 A1, [Text](#)

PEG Hydrogel - Regenerative Medicine, Tissue Engineering, Drug Delivery

Thiol-PEG-Thiol: PEG Hydrogels - Injectable laminin-functionalized hydrogel for nucleus pulposus regeneration, *Biomaterials*, 2013 (34): 7381-7388, [Text](#)

Maleimide-PEG-Maleimide: Crosslinking Proteins and Hydrogels – Controlling topological entanglement in engineered protein hydrogels with a variety of thiol coupling chemistries, *Front. Chem.* 2:23. doi: 10.3389/fchem.2014.00023, [Text](#)

mPEG-Acrylate: Acryl PEGylation - Reductively Responsive siRNA-Conjugated Hydrogel Nanoparticles for Gene , *J. Am. Chem. Soc.*, 2012, 134 (17), pp 7423–7430. [Text](#).

Acrylate-PEG-Acrylate: PEG Hydrogel - Bioartificial matrices for therapeutic vascularization, *Proc Natl Acad Sci USA*. 2010; 107(8): 3323–3328, [Text](#).

Acrylate-PEG-Acrylate: PEG Hydrogel - Reductively Responsive siRNA-Conjugated Hydrogel Nanoparticles for Gene Silencing, *J. Am. Chem. Soc.*, 2012, 134 (17), pp 7423–7430. [Text](#).

Acrylate-PEG-NHS: PEG-PCL Hydrogel and Conjugation of Proteins - Shape Memory RGD-Containing Networks: Synthesis, Characterization, and Application in Cell Culture, *Macromol. Symp.* 2011, 309/310, 162–172, [Text](#)

Azide-PEG-Azide: Click Chemistry and PEG-Hyaluronan Hydrogel – Age-Related Dysfunction in Mechanotransduction Impairs Differentiation of Human Mammary Epithelial Progenitors, *Cell Reports* 7, 1926–1939, June 26, 2014, [Text](#)

4-Arm PEG-Acrylate: Acryl PEGylation and Hydrogel - Hydrogel network design using multifunctional macromers to coordinate tissue maturation in ovarian follicle culture, *Biomaterials*, Volume 32, Issue 10, April 2011, Pages 2524–2531. [Text](#).

4-Arm PEG-SH: PEG Hydrogel - Thiolated hyaluronan-based hydrogels crosslinked using oxidized glutathione: An injectable matrix designed for ophthalmic applications, *Acta Biomaterialia* 10 (2014) 94–103, [Text](#)

4-Arm PEG Alkyne: Click Chemistry - Biodegradable poly(ethylene glycol)–peptide hydrogels with well-defined structure and properties for cell delivery, *Biomaterials*. 2009 Mar;30(8):1453-61, [Text](#).

4-Arm PEG-Azide and 4-Arm PEG-Alkyne: Clickable PEG Hydrogels - Ultralow Protein Adsorbing Coatings from Clickable PEG Nanogel Solutions: Benefits of Attachment under Salt-Induced Phase Separation Conditions and Comparison with PEG/Albumin Nanogel Coatings. *Langmuir* 2013, 29, 4128–4139, [Text](#)

4-Arm PEG-Alkyne: Click PEG Hydrogel - Photoinitiated Alkyne–Azide Click and Radical Cross-Linking Reactions for the Patterning of PEG Hydrogels, *Biomacromolecules* 2012, 13, 889–895, [Text](#)

4-Arm PEG-Azide: Azide-Alkyne Click PEG Hydrogel - Supramolecular polymer gels with potential model-network structure, *Polym. Chem.*, 2014, 5, 3018-3029, [Text](#)

8-Arm PEG-Vinylsulfone and 8-Arm PEG-Amine: Crosslinked PEG Microspheres and Hydrogels - Long term culture of HL-1 cardiomyocytes in modular poly(ethylene glycol) microsphere-based scaffolds crosslinked in the phase separated state. *Acta Biomater.* 2012, 8(1): 31–40, [Text](#)

8-Arm PEG-Vinyl Sulfone: PEG Hydrogel and Protein Conjugation - Nanogel surface coatings for improved single-molecule imaging substrates, *J R Soc Interface*. 2011 October 7; 8(63): 1400–1408. [Text](#).

8-Arm PEG-Acrylate: PEG Hydrogels - Injectable laminin-functionalized hydrogel for nucleus pulposus regeneration, *Biomaterials*, 2013 (34): 7381-7388, [Text](#)

8-Arm PEG-Maleimide: PEG Hydrogels and Thiol-Reactive Protein Conjugation - Tuning the thermosensitive properties of hybrid collagen peptide–polymer hydrogels, *Chem. Commun.*, 2014, 50, 8174-8176, [Text](#), [Experimental details in SI](#).

Self-Assembling – PEGylated Liposome, Micelle, Monolayer

DSPE-PEG-Maleimide: Thiol PEGylation of Enzymes - Matrix Metalloprotease 2-Responsive Multifunctional Liposomal Nanocarrier for Enhanced Tumor Targeting, *ACS Nano*, 2012, 6 (4), pp 3491–3498, [Text](#).

DSPE-PEG-Maleimide: Thiol PEGylation of Peptides - APN/CD13-targeting as a strategy to alter the tumor accumulation of liposomes, *Journal of Controlled Release* 154 (2011) 298–305, [Text](#).

DSPE-PEG-MAL: Self-assembly and Thiol PEGylation - Vascular targeted single-walled carbon nanotubes for near-infrared light therapy of cancer, *Nanotechnology* 22 (2011) 455101, [Text](#).

DSPE-PEG-MAL: Self-assembly and Thiol PEGylation - Targeting single-walled carbon nanotubes for the treatment of breast cancer using photothermal therapy, 2013 *Nanotechnology* 24 375104, [Text](#)

DSPE-PEG-MAL: PEGylated Micelles and Thiol PEGylation - Aggregation-enhanced fluorescence in PEGylated phospholipid nanomicelles for in vivo imaging, *Biomaterials* 32 (2011) 5880e5888, [Text](#)

mPEG-DSPE: Micelle Encapsulation of Nanoparticles - Using 915 nm Laser Excited Tm³⁺/Er³⁺/Ho³⁺-Doped NaYbF₄ Upconversion Nanoparticles for in Vitro and Deeper in Vivo Bioimaging without Overheating Irradiation, *ACS Nano*, 2011, 5 (5), pp 3744–3757, [Text](#).

mPEG-DSPE: Surface PEGylation of Lipophilic Nanoparticles - ‘Green’-synthesized near-infrared PbS quantum dots with silica-PEG dual-layer coating: ultrastable and biocompatible optical probes for in vivo animal imaging, 2012 *Nanotechnology* 23 245701, [Text](#).

mPEG-DSPE: Micelle Encapsulation of Quantum Dots – Biocompatible and Photostable AIE Dots with Red Emission for In Vivo Two-Photon Bioimaging. *Sci. Rep.* 2014, 4, 4279, [Text](#).

mPEG-DSPE: PEGylated Phospholipid Micelle Encapsulation of Nanoparticles - Optimization of Optical Excitation of Upconversion Nanoparticles for Rapid Microscopy and Deeper Tissue Imaging with Higher Quantum Yield. *Theranostics* 2013, 3 (5):306-316, [Text](#)

mPEG-C18: Micelle Formulation and Coassembly with Lipidated Nucleoside – Lysosomal Delivery of a Lipophilic Gemcitabine Prodrug Using Novel Acid-Sensitive Micelles Improved Its Antitumor Activity, *Bioconjugate Chem.*, 2012, 23 (5), pp 966–980, [Text](#).

C18-PEG-NHS: Micelle Encapsulation and Amine PEGylation of Peptide – Octreotide-Modified N-Octyl-O, N-Carboxymethyl Chitosan Micelles as Potential Carriers for Targeted Antitumor Drug Delivery. *J Pharm Sci.* 2012 Feb;101(2):627-40, [Text](#).

C18-PEG6-Azide: PEGylated Micelles and Click PEGylation of Proteins - Evaluation of Nanolipoprotein Particles (NLPs) as an In Vivo Delivery Platform, *PLoS ONE* 9(3): e93342. doi:10.1371/journal.pone.0093342, [Text](#)

mPEG-COOH: PEG Surfactant, Nanoparticle Encapsulation and Peptide Bioconjugation - Highly emissive PEG-encapsulated conjugated polymer nanoparticles, *Nanoscale*, 2012, 4, 5694, [Text](#)

mPEG-Hydrazide: Reversible PEGylation of Micelles - Lysosomal Delivery of a Lipophilic Gemcitabine Prodrug Using Novel Acid-Sensitive Micelles Improved Its Antitumor Activity, *Bioconjugate Chem.*, 2012, 23 (5), pp 966–980, [Text](#).

Small Molecule PEGylation and Miscellaneous

mPEG-Amine: Carboxyl PEGylation - A Photoinducible 1,3-Dipolar Cycloaddition Reaction for Rapid, Selective Modification of Tetrazole-Containing Proteins, *Angew Chem Int Ed Engl.* 2008;47(15):2832-5. [Text](#), experimental details in [SI](#)

Fmoc-NH-PEG-NHS: - Polyelectrolyte Nanogels Decorated with Monoclonal Antibody for Targeted Drug Delivery, *React Funct Polym.* 2011 March 1; 71(3): 315–323, [Text](#).

Fmoc-NH-PEG-NHS: Crosslinking Biotin to Small Molecule Drug - A prodrug nanoassembly entrapping drugs as a tumor-targeted delivery system, *Chem. Commun.*, 2013, 49, 801-803, [Text](#)

mPEG-OH: Conjugation with Photosensitive Copolymers - Soft Nanoparticles Assembled from Linear Poly(ethylene glycol) and Linear Brush Polydimethylsiloxane Diblock Copolymers, *J. Polym. Sci. A Polym. Chem.*, 52: 1251–1262, [Text](#)

mPEG-Amine: PEGylated PEI Copolymer for Gene Delivery - Synthesis and characterization of mannosylated pegylated polyethylenimine as a carrier for siRNA, *Int J Pharm.* 2012 May 1; 427(1): 123–133, [Text](#)

4-Arm PEG-OH and 4-Arm PEG-PLA: Diblock Copolymer and Self-Assembly - Biodegradable Polymersomes from Four-Arm PEG-b-PDLLA for Encapsulating Hemoglobin, *J. APPL. POLYM. SCI.* 2014, DOI: 10.1002/APP.40433, [Text](#)

The list was last updated on July 23, 2014.

You need subscription to the publishers in order to access the full articles. Should you have questions and concerns, please email to solutions@creativepegworks.com.

Best Regards,

